NH Public Utilities Commission

NHPUC 25MAY'16PM12:07

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request? Aggregator
Aggregator Batch Number
KE051916
Are you registered in NH O Yes No
Aggregator name Knollwood Energy
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Roger Burkhart

Facility Owner email
rburkhart@metrocast.net
Owner Phone
603-948-2381
Facility Address
569 Pickering Rd
Facility Town/City
Rochester
Facility State
NH
Facility Zip
03867
O No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
II
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON77432
Date of Initial Operation
04/29/2016
Facility Operator Name, if applicable
racility Operator Name, if applicable
Panel Make #1
Q-Cell Q-Cell
Panel Model
Q Pro BFR-63
Panel Quantity
29
29 Panel Rated Output

No O Yes
Panel Make #2
Panel Model
Parier Model
Panel Quantity
Panel Rated Output
More Penel types?
More Panel types? No
O Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
7540
Inverter Quantity
1
Inverter Make
Solar Edge
Add'I Inverter Quantity
NA NA
Additional Inverter Make
None

Rated Output - Primary Inverter
6000
Rated Output - Additional Inverter
System capacity based on single inverter make
6000
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
7.54
Revenue Grade Meter Make
Focus Focus
rocus
Was this facility installed directly by the customer (no electrician involved)?
O Yes O No
Electrician Name & Number
Megin Ulin 13139M
Other Electrician Name & Number
Installation Company
ReVision Energy
Other Installation Company Name
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6818930_89ZOrvMS_N5311_Burkhart_PVCertificate_
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a
statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.

https://fs30.formsite.com/jan1947/files/f-5-168-6818930_8EkXOkKe_Roger_Burkhart_and_Ellen_Lank

Please attach additional document here

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6818930_LDZEuadD_N5311_Burkhart_PV_-_Processe

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kan Jon

Print Name

Karen Tonnesen

Date Signed

05/19/2016

EVERSOURCE - NEW HAMPSHIRE

INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections By.

MAY 0 3 2016

urkhart and Ellen Lankh	10131		
NH	03867		
State: 1411	Zip Code:		
(Evening):			
E-Mail Address: rburkhart@metrocast.net			
Eversource Meter # S72467167			
State:	Zip Code:		
Vision Energy, LLC			
State: NH	Zip Code: 03833		
E-Mail Address: Sbog	gue@revisionenergy.com		
Company: 3/1/16			
Company.			
	the Mark to LOCAL AC		
	· *		
James!	. / /		
	Date: 4/29/16		
	this Exhibit B – Certification of erated in compliance with applicable essfully completed.		
verters, and the point of ele			
	this form to:		
	E-Mail Address: rburk Eversor State: State: NH (Evening): E-Mail Address: Sbock Company: 3/1/16 mpliance with the local Build County: Streefforce all information contained in seen installed and shall be open y Puc. 905.04 has been successed installation/including the fiverters, and the point of electrons.		

Eversource - Distributed Generation (NH) 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330 Pax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.


A copy of the facility's interconnection agreement is attached.

Roger Burkhart and Ellen Lankhorst

Printed Name of signature owner

Signature of system owner

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



N5311

Simplified Process Interconnection Application and Service Agreement

[submit form via email to: NHDG@eversource.com]

Eversource Application Project ID#:

Contact Information:					
Legal Name and Address of Interconnecting	ng Custom	er (or, (Company name, if a	ppropriate)	
Customer or Company Name (print): Rog	er Burkha	art and I	Ellen Lankhorst		
Contact Person, if Company:					
Mailing Address: 569 Pickering Rd					
City: Rochester	State:	NH		Zip Code:	03867
Facsimile Number:			E-Mail Address:	rburkhart@metroca	st.net
Alternative Contact Information (e.g., S Name: ReVision Energy, LLC	ystem inst	allation	contractor or coord	inating company, if a	ppropriate):
Mailing Address: 7 Commercial Drive					
City: Brentwood		NH		Zip Code:	03833
Telephone (Daytime): 603-679-1777					
Facsimile Number:					rgy.com
Mailing Address:	State:			Zip Code:	
Telephone (Daytime):					
Facsimile Number:					
Facility Site Information: Facility (Site) Address: same as above					
City:	State:		NH	Zip Code:	
Electric					
Service Company: Eversource	Accou	nt Numl	ber: <u>56693446007</u>	Meter Nur	nber: S72467167
Account and Meter Number: Please consult Number on this application. If the facility is					
Eversource Work Request #					
Non-Default' Service Customers Only: Competitive Electric					
Energy Supply Company:				Account Number:	
(Customer's with a Competitive Energy Sup Supply Company.)					ir contract with their Energy

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:		
Generator/	Model Name &	
Inverter Manufacturer: Solar Edge	Number: SE6000A-US	Quantity: 1
Nameplate Rating: 6.0 (kW)		
Nameplate Rating: The Max AC Nameplate rating of	of the individual inverter.	
System Design Capacity: 6.0 (kW)	(kVA) Battery Backup: Yes	□ No ■
System Design Capacity: The system total of the inv		
sum of the AC nameplate ratings of all inverters.		
Net Metering: If Renewably Fueled, will the accour		
Prime Mover: Photovoltaic Reciprocating E		Other
Energy Source: Solar Wind Hydro	Diesel Natural Gas Fuel Oil	Other
Inverter-based Generating Facilities:		
	no 004 Commission of Both Four Inventors Visite D	D4 B 00/ 01 I4 B
UL 1741 / IEEE 1547.1 Compliant (Refer To Part P Yes No	uc 900 Compliance Path For Inverter Units, P	art Puc 906.01 Inverter Requirements)
The standard UL 1741.1 dated May, 2007 or later, "	Inverters Converters and Controllers for II	ice With Independent Dower
Systems," addresses the electrical interconnection d		
submit their equipment to a Nationally Recognized	Testing Laboratory (NRTL) that verifies con	mpliance with UL 1741.1. This
term "Listed" is then marked on the equipme		
provided by the inverter manufacturer describing	g the inverter's UL 1741/IEEE 1547.1 list	ting.
External Manual Disconnect Switch:		
An External Manual Disconnect Switch shall be ins	tolled in accordance with (Dant Due 005 Tech.)	in December 1
Interconnections For Facilities, Puc 905.01 Requireme		
Yes No		
Location of External Manual Disconnect Switch:		
Project Estimated Install Date: May 2016	Project Estimated In-Service	Date: June 2016
Interconnecting Customer Signature:		
I hereby certify that, to the best of my knowledge, a	Il of the information provided in this applica	ation is true and I agree to the Terms
and Conditions for Simplified Process Interconne		
Roger S Bushbast and Eller Lank	/	
Customer Signature: Rollin & Blurishiant and Ellon Landstroat (Feb 23, 2016)	Title:	Date:
Please include a one-line and/or three-line diagram	n of proposed installation. Diagram must i	indicate the generator connection
point in relation to the customer service panel and		
returned.		
많아 이 제에 있다는 수 있다고 있다. 그 속에는	For Eversource Use Only	
Approval to Install Facility:		
Installation of the Facility is approved contingent up	on the Terms and Conditions For Simplified	d Process Interconnections of this
Agreement, and agreement to any system modificati		
Are system modifications required? Yes No	To be Determined	
Man 1	A-	, >15-11
Company Signature:	Title: #550C/C	Date: 4/16
Eversource SPIA rev. 11/15	CAGINO	Page 2 of 5

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test:	Yes 🗓 No 🗌	Date of inspection/Witness Test:	
---	------------	----------------------------------	--

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).